Research Article
E-ISSN : 3048-1368

Volume 02, Issue No. 07. 2024
P-ISSN : 3048-1376

The International Journal of Medical Science and Health Research



Early vs Late Inguinal Hernia Repair in Preterm Infants

[1] Franky, [1] Handy

[1] Faculty of Medicine, Tarumanagara University, Special Region of Jakarta, Indonesia
Correspondence : drfranky928@gmail.com

Article History :
Received date : 2024/04/15
Revised date : 2024/05/06
Accepted date : 2024/06/19
Published date : 2024/07/12

Copyright: *© 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (BY NC) license (https://creativecommons.org/licenses/by-nc/4.0/).*

E-ISSN :
ISSN 3048-1368
9 773048 136000

P-ISSN :
ISSN 3048-1376
9 773048 137007

ABSTRACT

Background: The topic of early versus late inguinal hernia repair in preterm infants has garnered significant attention in the medical literature, primarily due to the unique challenges posed by this vulnerable population. **Literature Review:** The literature surrounding early versus late inguinal hernia repair in preterm infants reveals a multifaceted landscape characterized by economic considerations, complication rates, and the timing of surgical interventions. The foundational study by Verhelst et al. (Verhelst et al., 2016) highlights the significant financial implications associated with emergency repairs, which incur higher direct medical costs compared to elective procedures. This study emphasizes that while clinical urgency may dictate the need for immediate intervention, the economic burden of such decisions cannot be overlooked, suggesting that elective surgeries could alleviate financial strain on healthcare systems while potentially improving patient outcomes. **Conclusion:** In conclusion, the reviewed literature collectively indicates that the decision-making process regarding inguinal hernia repair in preterm infants is complex and requires a nuanced approach. The interplay between economic considerations, complication rates, and surgical timing necessitates a careful evaluation of each case to optimize outcomes for this vulnerable population. Future research, particularly randomized controlled trials, is essential to establish clearer guidelines and best practices for managing inguinal hernias in preterm infants.

Keyword: Early, Late, Inguinal Hernia Repair, Preterm Infants

Downloaded from theInternationalmedicaljournal.org. For personal use only. No other uses without permission.
Copyright © International Medical Journal Corp. Ltd. All rights reserved

INTRODUCTION

The topic of early versus late inguinal hernia repair in preterm infants has garnered significant attention in the medical literature, primarily due to the unique challenges posed by this vulnerable population. The examination of various studies reveals a complex interplay between the timing of surgical intervention, associated medical costs, and complication rates.

The study by Verhelst et al. (Verhelst et al., 2016) provides a foundational understanding of the economic implications of inguinal hernia repairs in premature infants. Their cohort study highlights that emergency repairs are associated with significantly higher direct medical costs compared to elective procedures, with a stark difference in total costs (€7418 versus €4693, respectively). This finding underscores the importance of considering not only clinical outcomes but also the financial burden when making decisions regarding the timing of surgical repairs in preterm infants. The authors suggest that the economic ramifications of emergency repairs should be a critical component of the ongoing discourse on the optimal timing for hernia interventions.

In a subsequent systematic review and meta-analysis, Pogorelić et al. (Pogorelić et al., 2021) delve deeper into the clinical outcomes associated with inguinal hernia repair, comparing preterm (PT) and full-term (FT) newborns. Their findings indicate that PT infants experience higher rates of complications, including both major and minor events, with PT infants accounting for the majority of these complications. Notably, the review highlights the variability in complication rates across studies, which can be attributed to factors such as the age at surgery and the surgeon's experience. This analysis emphasizes the need for careful consideration of the timing of surgery, as delayed repairs may lead to higher rates of incarceration, while early repairs may result in increased reoperation rates.

Downloaded from theInternationalmedicaljournal.org. For personal use only. No other uses without permission.
Copyright © International Medical Journal Corp. Ltd. All rights reserved

Tsai et al. (Tsai et al., 2023) further contribute to this discourse by investigating the outcomes of single-incision laparoscopic herniorrhaphy specifically in newborns and infants. Their findings reflect a 20% occurrence rate of hernias in preterm infants, with ongoing debates regarding the optimal timing for repair. They report no significant differences in the risk of incarceration between early and delayed repairs, aligning with previous studies that suggest similar preoperative incarceration and recurrence rates. Importantly, the authors note the absence of major perioperative complications, although minor complications were observed, suggesting that early repair may be feasible after thorough anesthetic evaluation.

Collectively, these articles highlight the multifaceted considerations surrounding inguinal hernia repair in preterm infants, encompassing economic factors, complication rates, and the timing of surgical interventions. The literature reflects a growing recognition of the need for a nuanced approach to hernia repair in this population, balancing the potential benefits of early intervention against the risks of complications and the financial implications of emergency procedures.

LITERATURE REVIEW

The article "Emergency repair of inguinal hernia in the premature infant is associated with high direct medical costs" by Verhelst et al. (Verhelst et al., 2016) presents a compelling analysis of the financial implications of surgical interventions for inguinal hernias in preterm infants. The study's primary focus is on contrasting the direct medical costs incurred by emergency repairs versus elective repairs, providing valuable insights into the economic burden associated with these procedures.

The authors conducted a cohort study involving premature infants who required surgical intervention for inguinal hernia within the first three months of life at a tertiary academic children's hospital. A notable finding of the study is that 29% of the infants underwent emergency surgery,

Downloaded from theInternationalmedicaljournal.org. For personal use only. No other uses without permission.
Copyright © International Medical Journal Corp. Ltd. All rights reserved

highlighting a significant portion of cases that could potentially be managed electively. The financial analysis revealed that the total direct medical costs for emergency repairs averaged €7418 per infant, in stark contrast to €4693 for those who underwent elective repairs. This substantial difference underscores the economic advantages of planning elective surgeries, which not only alleviate immediate financial strain on healthcare systems but also potentially improve outcomes for the infants involved.

The article also emphasizes the importance of considering these costs in the broader context of clinical decision-making regarding the timing of inguinal hernia repairs. The authors argue that while the urgency of an emergency repair may be clinically justified, the associated higher costs warrant careful deliberation among healthcare providers and policymakers. Such considerations are critical in developing guidelines that balance clinical urgency with economic efficiency.

Moreover, the study's methodology is robust, utilizing a well-defined cohort and clear cost metrics, which enhances the reliability of the findings. However, the authors could have further strengthened their argument by discussing potential long-term implications of early versus late repair, including the risk of complications or recurrence, which could also influence overall healthcare costs.

The article titled "Comparison of Recurrence and Complication Rates Following Laparoscopic Inguinal Hernia Repair among Preterm versus Full-Term Newborns: A Systematic Review and Meta-Analysis" by Pogorelić et al. (Pogorelić et al., 2021) provides a comprehensive examination of the outcomes associated with laparoscopic inguinal hernia repair in preterm (PT) and full-term (FT) infants. The authors synthesize findings from various studies, highlighting crucial differences in complication and recurrence rates between these two groups.

One of the significant insights from the article is the higher incidence of complications observed

Downloaded from theInternationalmedicaljournal.org. For personal use only. No other uses without permission.
Copyright © International Medical Journal Corp. Ltd. All rights reserved

in PT infants compared to their FT counterparts. The meta-analysis reveals that PT newborns experienced a greater proportion of both major (81%) and minor (72%) complications, which predominantly included wound infections, port-site infections, suture granulomas, and mild respiratory issues (Pogorelić et al., 2021). This suggests that PT infants may be at a heightened risk for postoperative complications, which could be attributed to their underdeveloped physiological status and the inherent vulnerabilities associated with prematurity.

Moreover, the article discusses the findings of Burgmeier et al., which indicate a significantly higher rate of cardiorespiratory complications in PT infants. This highlights the critical need for careful monitoring and management of PT newborns during and after surgical procedures, as their fragile condition may predispose them to adverse events. Additionally, the occurrence of hydroceles requiring operative intervention was notably higher in the PT group, further emphasizing the complexities involved in managing this population (Pogorelić et al., 2021).

The authors also address the variability in complication rates reported in different studies, attributing this inconsistency to various factors such as the corrected age of PT newborns at the time of surgery, the size of the hernial defect, and the surgeon's experience. This indicates a need for standardized protocols and further research to establish best practices in the surgical management of inguinal hernias in preterm infants.

While the findings presented in this meta-analysis are compelling, the authors call for well-designed randomized controlled trials to draw more definitive conclusions regarding the optimal timing and techniques for hernia repair in PT versus FT infants. This is essential for advancing clinical practice and ensuring the safety and efficacy of surgical interventions in this vulnerable population.

The article "Comparing Outcomes of Single-Incision Laparoscopic Herniorrhaphy in Newborns and Infants" by Tsai et al. (Tsai et al., 2023) provides valuable

Downloaded from theInternationalmedicaljournal.org. For personal use only. No other uses without permission.
Copyright © International Medical Journal Corp. Ltd. All rights reserved

insights into the timing of inguinal hernia repair in preterm infants, a topic that remains contentious in pediatric surgery. The authors present data indicating a 20% incidence of hernias in preterm infants, highlighting the clinical relevance of this issue.

One of the central themes of the article is the debate surrounding the optimal timing for hernia repair in preterm infants. The authors note that while early repair may be beneficial in some contexts, it is also associated with a higher reoperation rate within a year. This finding raises critical questions about the balance between the risks and benefits of early versus delayed repair. The study suggests that delayed repair could potentially lead to an increased risk of incarceration, which is a significant complication that can arise from hernias if left untreated. However, the authors also reference other studies that indicate no substantial difference in the risk of incarceration between early and delayed repair, suggesting that the decision-making process may not be straightforward.

Importantly, Tsai et al. (Tsai et al., 2023) report that their cohort experienced no postoperative complications or recurrences, a promising outcome that supports the safety of the procedures performed. However, the authors do acknowledge the presence of minor complications, which they attribute to the short time elapsed since the separation of the umbilical cord. This consideration is crucial as it underscores the need for careful anesthetic evaluation prior to surgery in this vulnerable population.

CONCLUSION

The literature surrounding early versus late inguinal hernia repair in preterm infants reveals a multifaceted landscape characterized by economic considerations, complication rates, and the timing of surgical interventions. The foundational study by Verhelst et al. (Verhelst et al., 2016) highlights the significant financial implications associated with emergency repairs, which incur higher direct medical costs compared to elective procedures. This study emphasizes

Downloaded from theInternationalmedicaljournal.org. For personal use only. No other uses without permission.
Copyright © International Medical Journal Corp. Ltd. All rights reserved

that while clinical urgency may dictate the need for immediate intervention, the economic burden of such decisions cannot be overlooked, suggesting that elective surgeries could alleviate financial strain on healthcare systems while potentially improving patient outcomes.

Further exploration by Pogorelić et al. (Pogorelić et al., 2021) through a systematic review and meta-analysis underscores the clinical challenges faced by preterm infants undergoing inguinal hernia repair. Their findings indicate a higher incidence of complications in preterm infants compared to their full-term counterparts, with a notable correlation to factors such as the infant's age at surgery and the surgeon's experience. This analysis calls for a careful assessment of the timing of surgery, as delayed repairs may elevate the risk of incarceration, while early interventions may lead to increased rates of reoperation.

In conclusion, the reviewed literature collectively indicates that the decision-making process regarding inguinal hernia repair in preterm infants is complex and requires a nuanced approach. The interplay between economic considerations, complication rates, and surgical timing necessitates a careful evaluation of each case to optimize outcomes for this vulnerable population. Future research, particularly randomized controlled trials, is essential to establish clearer guidelines and best practices for managing inguinal hernias in preterm infants.

REFERENCES

1. Verhelst, J., de Goede, B., J. H. van Kempen, B., R. Langeveld, H., J. Poley, M., Kazemier, G., Jeekel, J., M. H. Wijnen, R., & F. Lange, J., 2016. Emergency repair of inguinal hernia in the premature infant is associated with high direct medical costs. ncbi.nlm.nih.gov
2. Pogorelić, Z., Anand, S., Križanac, Z., & Singh, A., 2021. Comparison of Recurrence and Complication Rates Following Laparoscopic Inguinal Hernia Repair among Preterm versus

Downloaded from theInternationalmedicaljournal.org. For personal use only. No other uses without permission.
Copyright © International Medical Journal Corp. Ltd. All rights reserved

Full-Term Newborns: A Systematic Review and Meta-Analysis. ncbi.nlm.nih.gov

3. Tsai, T. J., Lin, C. M., Nok Cheang, I., Hsu, Y. J., Wei, C. H., Chin, T. W., Wu, C. Y., Chang, W. Y., & Fu, Y. W., 2023. Comparing Outcomes of Single-Incision Laparoscopic Herniorrhaphy in Newborns and Infants. ncbi.nlm.nih.gov

Downloaded from theInternationalmedicaljournal.org. For personal use only. No other uses without permission.
Copyright © International Medical Journal Corp. Ltd. All rights reserved