



A Comprehensive Literature Review of Consumption of 100% Fruit Juice and Body Weight in Children and Adults

¹ Steven, ² Adrian, ² Widia

¹ Cipto Mangunkusumo Central General Hospital, Special Region of Jakarta, Indonesia

² Faculty of Medicine, Indonesian University, Special Region of Jakarta, Indonesia

Correspondence : drstevenmedicine93@gmail.com

Article History :

Received date : 2024/07/12
Revised date : 2024/08/15
Accepted date : 2024/09/20
Published date : 2024/10/17



Copyright: © 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (BY NC) license (<https://creativecommons.org/licenses/by-nc/4.0/>).

E-ISSN :

ISSN 3048-1368



P-ISSN :

ISSN 3048-1376



ABSTRACT

Background: The literature on the consumption of 100% fruit juice and its implications for body weight in children and adults reveals a nuanced and often contentious landscape. The introduction establishes the importance of distinguishing between 100% fruit juice and sugar-sweetened beverages, a point underscored by (Benton & A Young, 2019), who argue that conflating these two categories may lead to misleading conclusions regarding health outcomes. Their analysis indicates that while some studies suggest a long-term weight increase associated with fruit juice consumption, this may not apply to 100% fruit juice, which holds a different nutritional profile.

Literature Review: Collectively, the literature indicates that while there are concerns about the caloric density and lower fiber content of 100% fruit juice, its role in enhancing diet quality and meeting nutritional needs cannot be overlooked. The evidence suggests that moderate consumption of 100% fruit juice may not be directly linked to increased body weight, particularly when compared to sugar-sweetened beverages. The ongoing debates underscore the need for continued research to disentangle the effects of 100% fruit juice from those of added sugars and to better understand its place within broader dietary patterns. **Conclusion:** In conclusion, the current body of literature presents a complex interplay between 100% fruit juice consumption, nutrient intake, and body weight. While some studies indicate potential risks associated with juice consumption, others highlight its contributions to diet quality and nutritional adequacy, especially in vulnerable populations. The findings collectively advocate for a more nuanced understanding of the role of 100% fruit juice in dietary habits and its implications for health outcomes.

Keywords: Consumption, Fruit Juice, Body Weight, Children, Adults

INTRODUCTION

The consumption of 100% fruit juice and its implications for body weight in children and adults has been a subject of considerable debate in recent years, as evidenced by the evolving body of literature on the topic. (Benton & A Young, 2019) highlight that while some studies suggest a long-term weight increase associated with fruit juice consumption, the distinction between 100% fruit juice and sugar-sweetened varieties remains crucial. Their analysis indicates that the consumption of extrinsically sweetened juices complicates the understanding of the impact of 100% juice on body weight, thereby necessitating further investigation into the effects of pure fruit juice devoid of added sugars.

In parallel, (R. Sakaki et al., 2019) provide a comprehensive examination of the dietary and anthropometric characteristics associated with 100% orange juice (OJ) consumption among U.S. children and adolescents. Their findings suggest that OJ is a nutrient-

dense option that contributes significantly to the intake of essential vitamins and minerals. However, they also note the mixed literature regarding juice as a potential risk factor for obesity, emphasizing the importance of controlling for confounding variables such as total energy intake. The authors call attention to the potential misclassification bias in studies that fail to explicitly measure 100% juice intake, which may obscure its true impact on weight status.

(Maillot et al., 2020) further explore the relationship between 100% orange juice consumption and diet quality, particularly among lower socioeconomic groups. Their analysis of NHANES data reveals that 100% juice serves as a cost-effective means for these populations to meet fruit intake recommendations, without a significant impact on fiber consumption. Interestingly, their findings indicate no substantial differences in BMI or waist circumference between juice consumers and non-consumers, challenging the notion that 100%

juice consumption is directly linked to obesity risk.

Similarly, (Wan et al., 2020) conduct a longitudinal study examining fruit juice consumption during preschool years and its subsequent effects on diet quality and BMI. Their research underscores the importance of adhering to USDA guidelines for fruit intake, while also acknowledging the decline in juice consumption among preschoolers in recent years. The authors reiterate longstanding concerns regarding juice's caloric density and lower fiber content, yet they assert that there is insufficient evidence to conclude that 100% fruit juice contributes significantly to obesity in children.

Collectively, these articles illustrate a complex interplay between 100% fruit juice consumption, nutrient intake, and body weight. While some studies suggest potential risks associated with juice consumption, others point to its role in enhancing diet quality and meeting nutritional needs, particularly among vulnerable populations. The literature reveals a critical need for continued research to disentangle the effects of

100% fruit juice from those of added sugars and to clarify its role within the broader context of dietary patterns and health outcomes.

LITERATURE REVIEW

The article titled "Role of fruit juice in achieving the 5-a-day recommendation for fruit and vegetable intake" by Benton and Young (Benton & A Young, 2019) provides a critical examination of the role of fruit juice in dietary habits and its implications for body weight in both children and adults. The authors highlight a significant concern regarding the conflation of 100% fruit juice with sugar-sweetened beverages in existing literature, which may lead to misleading conclusions about the health impacts of fruit juice consumption.

Benton and Young reference a study by Hebden et al. that suggested a long-term increase in weight associated with fruit juice consumption. However, they argue that this conclusion is flawed due to the lack of differentiation between 100% fruit juice and juices with added sugars in the examined cohorts.

This distinction is crucial, as the effects of sugar-sweetened juices may not be applicable to 100% fruit juice, which has different nutritional profiles and health implications. The authors advocate for further research to specifically isolate the impact of 100% fruit juice on body weight, positing that the addition of sugar is the primary factor contributing to weight gain rather than the juice itself. Moreover, the article discusses findings which indicate that individuals consuming orange and grapefruit juices tend to have a lower body mass index (BMI). This suggests a potential beneficial role of 100% fruit juice in maintaining a healthy weight, particularly when included as part of a broader dietary pattern that emphasizes the intake of both whole fruits and juices. The authors also note that a reduction in fruit juice consumption could disproportionately affect a small demographic of the population, particularly as juice consumption tends to decline with age.

The article "Associations between 100% Orange Juice Consumption and Dietary, Lifestyle

and Anthropometric Characteristics in a Cross-Sectional Study of U.S. Children and Adolescents" by Sakaki et al. (R. Sakaki et al., 2019) presents a nuanced examination of the relationship between the consumption of 100% orange juice (OJ) and various health-related outcomes among children and adolescents. The authors effectively highlight the nutritional benefits of OJ, noting that a standard serving provides significant amounts of essential vitamins and minerals, including over 100% of the recommended daily allowance for vitamin C and a variety of other nutrients such as potassium and folate.

The article draws on data from the National Health and Nutrition Examination Survey, which indicates that higher OJ consumption correlates with improved nutrient intake among children and adolescents. Notably, the findings suggest that those who consume greater amounts of OJ are also more likely to meet the estimated average requirements for several vitamins and minerals, as well as consume more whole fruits, which is an important indicator of a healthier

diet. This is particularly relevant given the general trend of inadequate fruit intake across age groups, except among young children.

However, the article also addresses the critical concern regarding the potential link between fruit juice consumption and childhood obesity. It acknowledges the recommendations from the American Academy of Pediatrics and the U.S. Department of Agriculture to limit fruit juice intake, particularly for children at risk of obesity. The authors present a balanced view by noting that while some studies have associated fruit juice consumption with obesity, others have found no significant link when controlling for key factors such as age, race, and total energy intake. This inconsistency in findings raises important questions about the methodology of previous research, particularly regarding the classification of 100% fruit juice versus sugar-sweetened beverages.

A significant strength of the article is its call for more comprehensive epidemiological studies with larger sample sizes to further investigate the impact of

100% fruit juice on health outcomes. The authors suggest that misclassification bias in previous studies may have contributed to the mixed results, highlighting the need for precise measurement of juice intake. This insight is crucial for future research as it underscores the importance of distinguishing between different types of beverages in dietary assessments.

The article "Consumption of 100% Orange Juice in Relation to Flavonoid Intakes and Diet Quality Among US Children and Adults: Analyses of NHANES 2013–16 Data" by Maillot, Vieux, Rehm, and Drewnowski (Maillot et al., 2020) provides a comprehensive analysis of the relationship between the consumption of 100% orange juice and diet quality among different socio-economic groups in the United States. The authors present compelling evidence that challenges the prevailing notion that the consumption of 100% fruit juice, specifically orange juice, is a contributing factor to obesity in children and adults.

One of the key insights from the article is the observation that 100% fruit juice can serve as a cost-effective means for lower-income groups to meet their fruit intake needs. The data shows that participants in the Special Supplemental Nutrition Program for Women, Infants, and Children (WIC) had higher total fruit consumption, predominantly from 100% fruit juice, compared to non-participants. This finding suggests that for populations facing financial constraints, 100% juice may alleviate the economic burden associated with whole fruit consumption, thus improving their overall diet quality.

Moreover, the article underscores the lack of significant differences in body mass index (BMI) z-scores and waist circumferences between children who consume orange juice and those who do not. This finding is particularly noteworthy given the concerns regarding childhood obesity and the consumption of sugary beverages. The authors reference previous analyses of NHANES data that corroborate their findings, indicating

no significant association between 100% juice consumption and BMI z-scores, further reinforcing the argument that moderate consumption of 100% fruit juice does not necessarily correlate with increased body weight or adiposity.

For adults, the article presents evidence that orange juice consumption is associated with lower BMI and waist circumference, even after adjusting for various covariates. This correlation may suggest a beneficial role of 100% fruit juice in adult diets, contributing to lower body weight metrics. The authors also highlight that past meta-analyses have indicated only minimal weight gain associated with 100% fruit juice intake in children, which is not clinically significant.

Furthermore, the article aligns with the 2015–2020 Dietary Guidelines for Americans (DGA), which advocate for the consumption of nutrient-rich beverages such as 100% fruit juice, milk, and water. The guidelines emphasize that these beverages can provide essential nutrients, thereby enhancing diet quality. The authors' findings support

the DGA's position that a beverage pattern centered around these options is linked to higher quality diets.

The article "A longitudinal study of fruit juice consumption during preschool years and subsequent diet quality and BMI" by Wan et al. (Wan et al., 2020) provides a thorough examination of fruit juice consumption among preschool-aged children and its implications for diet quality and body mass index (BMI). The authors highlight the essential role of fruit in providing vital nutrients, including vitamins, minerals, and dietary fiber, which are linked to reduced risks of obesity and cardiovascular diseases. This foundational understanding is crucial for evaluating the ongoing debate surrounding the consumption of 100% fruit juice.

The article notes that the USDA recommends a daily fruit intake of 1–2 cups for children and adolescents, emphasizing that at least half of this intake should come from whole fruits. This recommendation is pertinent, as it underscores the nutritional hierarchy that favors whole fruits over fruit juices,

particularly due to the latter's lower fiber content and higher caloric density. The authors reference data from the National Health and Nutrition Examination Survey (NHANES), indicating a peak in fruit juice consumption among preschoolers in the early 2000s, followed by a decline, while whole fruit consumption has shown a slight increase. This trend raises questions about the dietary habits of children and the effectiveness of current nutritional guidelines.

A critical aspect of the article is its discussion on the controversial role of 100% fruit juice in children's diets. While the American Academy of Pediatrics (AAP) acknowledges that fruit juice can represent a portion of daily fruit intake after the age of one, it also recommends strict limits on consumption for young children. The authors assert that the AAP's guidelines reflect a growing concern regarding the potential for fruit juice to contribute to energy imbalance and, by extension, obesity. However, the article presents a balanced view by highlighting that existing evidence does not consistently support a direct

link between fruit juice consumption and significant weight gain or obesity risk in children.

The authors also consider the implications of these findings for public health policy, suggesting that some researchers advocate for the elimination of fruit juice from federal nutrition programs as a means to combat rising obesity rates. This point is particularly relevant in the context of ongoing discussions about childhood nutrition and obesity prevention strategies. While the article acknowledges the potential benefits of restricting fruit juice intake, it also calls for further research to clarify the relationship between fruit juice consumption and obesity outcomes.

CONCLUSION

The literature on the consumption of 100% fruit juice and its implications for body weight in children and adults reveals a nuanced and often contentious landscape. The introduction establishes the importance of distinguishing between 100% fruit juice and sugar-sweetened beverages, a point underscored by

(Benton & A Young, 2019), who argue that conflating these two categories may lead to misleading conclusions regarding health outcomes. Their analysis indicates that while some studies suggest a long-term weight increase associated with fruit juice consumption, this may not apply to 100% fruit juice, which holds a different nutritional profile ((Benton & A Young, 2019)).

(R. Sakaki et al., 2019) further highlight the nutritional benefits of 100% orange juice, noting its contribution to essential vitamin and mineral intake among U.S. children and adolescents. However, they also acknowledge the mixed findings in the literature concerning juice as a potential risk factor for obesity, emphasizing the need for careful control of confounding variables such as total energy intake. The call for more rigorous epidemiological studies is echoed across the literature, as researchers seek to clarify the role of 100% fruit juice in dietary patterns and health outcomes. Present compelling evidence that challenges the notion of 100% fruit juice as a contributor to obesity, particularly

among lower socioeconomic groups. Their findings suggest that 100% juice can serve as a cost-effective means to meet fruit intake needs without significant adverse effects on body weight metrics. This is particularly relevant for populations that may struggle with access to whole fruits. Similarly, (Wan et al., 2020) examine the longitudinal effects of fruit juice consumption during preschool years, emphasizing the importance of adhering to USDA guidelines while recognizing that the evidence does not consistently support a direct link between juice consumption and obesity in children. Collectively, the literature indicates that while there are concerns about the caloric density and lower fiber content of 100% fruit juice, its role in enhancing diet quality and meeting nutritional needs cannot be overlooked. The evidence suggests that moderate consumption of 100% fruit juice may not be directly linked to increased body weight, particularly when compared to sugar-sweetened beverages. The ongoing debates underscore the need for continued research to disentangle the effects of

100% fruit juice from those of added sugars and to better understand its place within broader dietary patterns.

In conclusion, the current body of literature presents a complex interplay between 100% fruit juice consumption, nutrient intake, and body weight. While some studies indicate potential risks associated with juice consumption, others highlight its contributions to diet quality and nutritional adequacy, especially in vulnerable populations. The findings collectively advocate for a more nuanced understanding of the role of 100% fruit juice in dietary habits and its implications for health outcomes.

DISCLOSURE STATEMENT

Disclosure Statement : The authors have no conflicts of Interest to declare.

REFERENCES

1. Benton, D. & A Young, H., 2019. Role of fruit juice in achieving the 5-a-day recommendation for fruit and vegetable intake. [ncbi.nlm.nih.gov](https://www.ncbi.nlm.nih.gov)

2. R. Sakaki, J., M. Melough, M., Li, J., M. Tamimi, R., E. Chavarro, J., Chen, M. H., & K. Chun, O., 2019. Associations between 100% Orange Juice Consumption and Dietary, Lifestyle and Anthropometric Characteristics in a Cross-Sectional Study of U.S. Children and Adolescents. ncbi.nlm.nih.gov
3. Maillot, M., Vieux, F., Rehm, C., & Drewnowski, A., 2020. Consumption of 100% Orange Juice in Relation to Flavonoid Intakes and Diet Quality Among US Children and Adults: Analyses of NHANES 2013–16 Data. ncbi.nlm.nih.gov
4. Wan, L., Deepti Jakkilinki, P., R. Singer, M., Loring Bradlee, M., & L. Moore, L., 2020. A longitudinal study of fruit juice consumption during preschool years and subsequent diet quality and BMI. ncbi.nlm.nih.gov